ENGINEERING TOMORROW



Brochure | Industrial Refrigeration

High performing **products** for your **ammonia** and **CO₂ applications**



One Supplier Covers your Industrial Refrigeration Needs

Danfoss has made a clear priority to be able to supply all types of components for industrial refrigeration. Having just one place to go for industrial refrigeration is a significant benefit. Danfoss' one-stop-shop concept makes constructing as well as servicing fast and easy and helps keep the part stock at a minimum.

Whether your industrial refrigeration plant is a manual system or a highly-automated system, you will be sure to find a Danfoss solution that exactly matches your project needs in our wide range for industrial refrigeration. With the support of our online tools and our dedicated, local staff, we continuously strive to make your selection of solutions safe and easy.

The Flexline™ platform

The Flexline[™] platform is synonymous with flexibility within industrial refrigeration. Based on a modular design concept, you will experience that each product features a variety of benefits, including easy selection, installation and maintenance.



ICF Flexline[™] valve station

The Danfoss ICF Flexline™ multi-ported control solution offers you significant savings by substituting a string of valves with just one valve station. Consisting of a valve housing and a maximum of four or six function modules, the valve station is a true plug-and-play solution.



ICFD Defrost Module

The liquid drain method is widely acknowledged as the most efficient hot gas defrost method within industrial refrigeration. The method ensures that liquid condensate is drained at lowest possible pressure resulting in a reduction of blow-by gas by up to 90%.

Support Tools for Professionals



Coolselector®2:

Easy selection and calculation software



3D CAD symbols:

Download symbols and illustrations



DIRbuilder:

IR product configurator



IR App:

Complete overview of spare parts and service kits



IR Application Tool:

How a two-stage ammonia plant works



Application Handbook:

How to select control methods for different refrigeration systems

Training for Professionals



Danfoss Learning:

Your personal learning portal is fast, easy and always accessible. www.learning.danfoss.co.uk

Follow us in **Social Media**



LinkedIn:

https://linkedin.com/ showcase/DanfossCool



YouTube:

https://youtube.com/ DanfossCool



Twitter:

https://twitter.com/ DanfossCool



Instagram

https://instagram.com/ DanfossCool

ICV Flexline™ valves

The ICV product family consists of an ICS pilot operated control, ICM motor operated control and ICLX 2-step solenoid valve. All valve variants are based on one common valve body to offer outstanding flexibility.

The modular concept greatly facilitates the building of a valve that offers energy savings and reduction of down-time. All valves are designed for a maximum working pressure of 52 bar (754 psi) and efficiently handle CO_2 and other future high pressure refrigerants.



ICLX 2-step solenoid valve

The ICLX valves are 2-step servo-operated main valves with pilot solenoid valves offering safe, flexible and convenient installation, operation and service.



ICM motor operated valve

The ICM motor operated valves are very compact and easy to handle. The ICM motor valve is available as a complete valve and as parts programme.



ICS pilot operated servo valve

The ICS pilot operated servo valves are quick and simple to handle, install and service due to their low weight and compact design.



ICSH, dual position solenoid valve

The ICSH dual position solenoid valve is designed for gradual and safe opening of the hot gas flow to the evaporator, featuring an extra-safety-configuration to prevent hydraulic shocks in the system.

The Flexline™ platform

Your road to sustainability with Flexline[™] is clear as lower life-cycle costs and emissions derived from leaks are further reduced thanks to its innovative design and carefully engineered valve ports. With Flexline[™] you are guaranteed that your needs are accommodated by a reliable, safe and green solution – now and in the future.



SLV Flexline™ product platform

The SVL Flexline[™] product platform is targeted to meet industrial refrigeration requirements worldwide. Using just two basic valve housings – a straightway and an angleway – the platform offers five different functions. Two ranges available: for 52 bar and 65 bar.



Pilots valves for ICS valve

The line of pilots for ICS valves reduces the number of variants from eight to only four simplifying ordering, inventory management and storage. Pilot valves are ready for direct installation in the top cover of the main valve.







Gas Detection Units for Industrial Refrigeration Systems

The new Danfoss gas detectors are based on an intelligent platform and intuitive user-interface, Danfoss' complete line of fixed gas detectors range from basic to heavy duty models with sensor technology to match the specific refrigerant, application, and safety requirements of your system.

The portfolio ranges from basic to heavy duty models with sensor technology to match the specific refrigerant, application, and safety requirements of your refrigeration system.

The Danfoss gas detection portfolio enables you to comply with regulations according to EN 378:2016, ISO 5149:2014, IIAR 2-2017, and ASHRAE 15:2016 while providing comprehensive safety and easy-to-use features.

Semi-Welded Plate Heat Exchangers for Industrial Refrigeration



- Re-enforced gasket system provides improved sealing effect and prevents gasket blow-out.
- Reduced risk of contamination due to double gasket barrier draining potential leak outside of plate pack.
- Improved plate strength and stability due to optimized plate pattern across the plate.
- Proven and verified design through mechanical and life-time testing.
- Thermal performance proven and verified on a full-scale, one-stage industrial refrigeration system.
- Comply with CE (PED) and ASME design codes.

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequential changes being necessary in specifications already agreed.

All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.